

JVC

Mobile Entertainment **2016**



MOBILE ENTERTAINMENT

Comfort and Excitement for the Road Ahead

The latest innovations to interface your smartphone with your car are onboard so you can bring your favourite apps into your driving experience, in comfort and safety. View content on a big screen, sensitive to your touch and your wishes. Enjoy quality sound, and customise it to reflect your lifestyle. Tune-up your car, with JVC.



KW-V820BT

6.8-inch Clear Resistive Touch Control Monitor with DVD/CD/USB Receiver and Built-in Bluetooth® Wireless Technology



- High-Resolution Audio
- Supports Apple Music



*Phone only



KW-V620BT

6.8-inch Clear Resistive Touch Control Monitor with DVD/CD/USB Receiver, HDMI Input and Built-in Bluetooth® Wireless Technology



*Phone only



KW-V320BT

6.8-inch Clear Resistive Touch Control Monitor with DVD/CD/USB Receiver and Built-in Bluetooth® Wireless Technology






Apple CarPlay

[KW-V820BT]



CarPlay takes the things you want to do with your iPhone and puts them on the big screen. Things get even better with a JVC multimedia receiver — simply talk to Siri or touch the receiver's display and get directions from Apple Map, make phone calls, listen to voicemail, send and receive texts, and listen to music all in a way that allows you to stay focused on the road.

Note: Apple CarPlay is available with iPhone 6 Plus, iPhone 6, iPhone 6s, iPhone 6s Plus, iPhone 5s, iPhone 5c or iPhone 5 with iOS 7.1 or newer



6.8" Clear Resistive Touch Control (6.2" WVGA Monitor)

[KW-V820BT/V620BT/V320BT]

Larger Display with Minimalist Design


JVC's new multimedia models with 6.8" Clear Resistive Touch Panel features a dedicated Touch Control Key area and a high-resolution WVGA display. Sleek, minimalist design turns the entire face of the unit black when the ignition is turned off, so it meshes seamlessly with the interior. Turn it back on and the high-visibility 6.8" display reappears like magic with images you'll want to see.



Touch Control Keys

WVGA Display

Face plate fades into the shadows when ignition is turned off.




Power ON

Power OFF

Clear Resistive Touch Panel with Easy-to-see GUI


The clear resistive touch panel with high-transparency and high-luminance makes icons easy to see and functions easy to use. Enjoy intuitive operation thanks to the easy-to-use GUI design with large key layout.



iPhone®/Android™ Bluetooth Automatic Pairing



Just connect your iPhone or Android device* via USB and the automatic Bluetooth pairing function will work to complete the pairing. No complicated manual procedure to worry about.



*JVC Music Play application is required for Android.
iPhone only for KW-V820BT/V620BT/V2150BT/V51BT.

2 Phones Full-Time Connection

[KW-V820BT/V420BT/V320BT/V220BT]



You can connect two phones full time via Bluetooth, with secure and simple pairing. Calls to either phone can be received by a push of a key on the head unit.



All models are compatible with iPod/iPhone.

Please visit the JVC Support Site for further information including firmware update.
<http://www.jvc.net/cs/car/>





KW-V420BT

7" WVGA

7-inch WVGA Touch Panel Monitor with DVD/CD/USB Receiver and Built-in Bluetooth® Wireless Technology



Supports Apple Music



KW-V220BT

6.2" WVGA

6.2-inch WVGA Touch Panel Monitor with DVD/CD/USB Receiver and Built-in Bluetooth® Wireless Technology



Supports Apple Music



Bluetooth Voice Recognition

Siri Eyes Free Mode for iPod/iPhone

Allows access to the Siri voice-activated personal assistant while keeping your hands on the steering wheel and eyes on the road. No need to touch your iPhone to play back stored music or make calls to registered numbers.



Improved Sound Quality with HFP 1.6 Wideband Speech

Improved sound quality thanks to HD Voice contributes to a higher level of voice recognition accuracy.

Bluetooth AVRCP1.5 for Versatile Song Selection

In addition to repeat and random playback of music files, you can also easily search for songs using the browsing function. Just look for and choose the song you want to hear from the folder name and song name lists.

Android™ Music Playback via USB (AUTO MODE/AUDIO MODE) [KW-V420BT/V320BT/V220BT]



Simply connect your Android smartphone or tablet to the receiver via USB and enjoy a totally "plug and play" music playback solution. The Android Open Accessory Protocol (AOA2) is supported so absolutely no preparation or set-up is necessary – just plug it in and it's ready to play audio files stored on your Android device in what's called "AUDIO MODE". Or, by installing the free JVC Music Play app available on Google Play, you'll be able to access "AUTO MODE" for added functionality including Folder Up & Down, and Search Artist/Album/Song.



All models are compatible with iPod/iPhone.

Please visit the JVC Support Site for further information including firmware update. <http://www.jvc.net/cs/car/>



Radio's Digital Advantage

DAB (Digital Audio Broadcasting) delivers crystal clear audio from your favourite FM stations as well as a broad range of digital-only stations ranging from news and talk, to classical and rock. Enjoy both better quality and richer content with DAB.

DAB+



KW-V215DBT

6.2" WVGA

6.2-inch WVGA Touch Panel Monitor with DVD/CD/USB Receiver and Built-in Bluetooth® Wireless Technology



Wired MIC included



*Phone only




DAB+/DMB-Audio

KW-V215DBT offers a built-in DAB tuner. Enjoy digital radio broadcasts from DAB+/DMB-Audio stations with the included aerial.

Seamless Blending

Normally, DAB is delayed by a few seconds compared to the FM broadcast. The unit will delay the FM in order to provide seamless switching between DAB and FM.



KW-V51BT

7" WVGA

7-inch WVGA Touch Panel Monitor with DVD/CD/USB Receiver, HDMI Input and Built-in Bluetooth® Wireless Technology



Wired MIC included



*Phone only



KW-V11


6.2" WVGA

6.2-inch WVGA Touch Panel Monitor with DVD/CD/USB Receiver



Sound Optimisation


From advanced technologies that enable playback of premium High-Resolution Audio sources, to the vast array of sound adjustment functions to fine-tune and customise the acoustics exactly the way you want — count on JVC to deliver the music to your ears.



High-Resolution Audio Playback

[KW-V820BT]


You can enjoy playback of 96kHz/24bit audio which contains about 3 times the musical information of music CDs (44.1kHz/16bit), or even 192kHz/24bit High-Resolution Audio files with their approx. 6.5 times data volume. With high sound quality approaching the original master recording itself, you will experience the presence and ambience of a tune the way CD simply cannot.



K2 Technology for Enhanced Digital Sound Quality

[KW-V820BT/V420BT/V320BT/V220BT]


K2 is a JVC KENWOOD's original technology that reproduces the original master sound by expanding the bit rate and frequency range. K2 is compatible with all sources including CD. For example, K2 will expand the digital data of the audio CD recorded at 44.1kHz/16 bit to 48 kHz/24 bit, and recreate the high-frequency range above 20kHz that is cut during the CD formatting.



Time Alignment

[KW-V820BT/V420BT/V320BT/V220BT]

By selecting the speaker type and the distance to the centre of the listening position, the head unit will automatically adjust the timing of the sound output from each of the speakers so that the sound from each of the speakers will arrive exactly at the same time to the listening position.



Sound Lift

[KW-V820BT/V420BT/V320BT/V220BT]

Virtually manipulate the height of the speakers by adjusting the sound frequencies.



Sound Response

[KW-V820BT/V420BT/V320BT/V220BT]

This function boosts the low frequencies which can be lost during compression to MP3, WMA or AAC.



Space Enhancement

[KW-V820BT/V420BT/V320BT/V220BT]

Space Enhancement is a virtual surround technology using 2 speakers. Just select the vehicle size, and the head unit automatically adjusts the sound effectively.




Volume Link EQ

[KW-V820BT/V420BT/V320BT/V220BT]


Volume Link EQ boosts specific frequencies in the audio signal to compensate for the impact of road noise. It boosts frequencies in the music that are affected by road noise.

13-Band Equaliser

[KW-V820BT/V420BT/V320BT/V220BT]



Use the 13-Band Equaliser to manually adjust the sound to your taste.



Please visit the JVC Support Site for further information including firmware update.
<http://www.jvc.net/cs/car/>



	Screen	Variable Colour Key Illumination	Monitor Touch Control	Apple CarPlay	Smartphone Control for Android (via Bluetooth HID)	Android Music Playback via USB	Android Video Playback	iPod/iPhone Music Playback	iPod/iPhone Video Playback
KW-V820BT	6.8" Clear Resistive Touch Panel	●	●	●	–	–	–	● (USB)	–
KW-V620BT	6.8" Clear Resistive Touch Panel	●	●	–	● ¹	–	● ¹	● (USB)	● ²
KW-V420BT	7" WVGA	●	●	–	–	● (AUTO MODE ² /AUDIO MODE)	–	● (USB)	–
KW-V320BT	6.8" Clear Resistive Touch Panel	●	●	–	–	● (AUTO MODE ² /AUDIO MODE)	–	● (USB)	–
KW-V220BT	6.2" WVGA	–	●	–	–	● (AUTO MODE ² /AUDIO MODE)	–	● (USB)	–
KW-V215DBT	6.2" WVGA	–	●	–	–	–	–	● (USB)	–
KW-V51BT	7" WVGA	–	●	–	● ¹	–	● ¹	● (USB)	● ²
KW-V11	6.2" WVGA	–	●	–	–	–	–	● (USB)	● ²

	Built-in Bluetooth	Siri Eyes Free Mode for iPhone	iPhone/Android Automatic Bluetooth Pairing (via USB)	2 Phones Full Time Connection	DAB Tuner Built-in	USB Port	USB Video Format	USB Audio Format	AV In/Out
KW-V820BT	● Audio Streaming	●	iPhone Only	●	–	Rearx2 (1.5A)	AV/MKV/H.264/WMV/MPEG1,2/MPEG4	FLAC/AAC/MP3/WMA/WAV	1/1
KW-V620BT	● Audio Streaming	●	iPhone Only	–	–	Rear (1.0A)	AV/MKV/H.264/WMV/MPEG1,2/MPEG4	FLAC/AAC/MP3/WMA/WAV	1/1
KW-V420BT	● Audio Streaming	●	●	●	–	Rear (1.5A)	MPEG1,2/DiX	AAC/MP3/WMA/WAV	1/1
KW-V320BT	● Audio Streaming	●	● ²	●	–	Rear (1.5A)	MPEG1,2/DiX	AAC/MP3/WMA/WAV	1/1
KW-V220BT	● Audio Streaming	●	● ²	●	–	Front (1.5A)	MPEG1,2/DiX	AAC/MP3/WMA/WAV	1/1
KW-V215DBT	● Audio Streaming	●	iPhone Only	–	●	Rear (1.0A)	MPEG1,2/DiX	MP3/WMA/WAV	1/1
KW-V51BT	● Audio Streaming	●	iPhone Only	–	–	Rear (1.0A)	AV/MKV/H.264/WMV/MPEG1,2/MPEG4	FLAC/AAC/MP3/WMA/WAV	1/1
KW-V11	–	–	–	–	–	Front (1.0A)	MPEG1,2	MP3/WMA/WAV	1/1

	Audio Preout	High-Resolution Audio (192kHz/24bit)	K2 Technology	EQ/Preset EQ	Steering Wheel Remote Ready	Rear View Camera Input	Remote Control
KW-V820BT	3-Preout (4.0V)	●	●	13-Band/8-Preset	●	●	Ready (RM-RK258 required)
KW-V620BT	3-Preout (4.0V)	–	–	3-Band Parametric/7-Preset	●	●	Ready (RM-RK258 required)
KW-V420BT	3-Preout (4.0V)	–	●	13-Band/8-Preset	●	●	Ready (RM-RK258 required)
KW-V320BT	3-Preout (4.0V)	–	●	13-Band/8-Preset	●	●	Ready (RM-RK258 required)
KW-V220BT	3-Preout (4.0V)	–	●	13-Band/8-Preset	●	●	Ready (RM-RK258 required)
KW-V215DBT	3-Preout (4.0V)	–	–	5-Band Parametric/11-Preset	●	●	Ready (RM-RK258 required)
KW-V51BT	3-Preout (4.0V)	–	–	3-Band Parametric/7-Preset	●	●	Ready (RM-RK258 required)
KW-V11	3-Preout (4.0V)	–	–	5-Band Parametric/11-Preset	●	●	Ready (RM-RK258 required)





¹ KS-U60 required for Android devices with HDMI. KS-U61 required for Android devices with MHL. Compatibility depends on Smartphone.
² Requires JVC Music Play Application. For Android ver. 4.1 and above.
³ KS-U60 and Apple® Lightning Digital AV Adapter (for iPhone 5) or KS-U59 for iPod, iPhone. 4-in-1 required for Video playback/App Link Mode. Compatibility depends on iPod/iPhone.

Required Cables for Connecting Smartphones

	iPhone 6/6 Plus, iPhone 5/5s/5c				Android (4.1 or later)		
	Music	Video	Apps		Music	Video	Apps
			CarPlay	Smartphone Control for iPhone/iPod			
KW-V820BT	KS-U62	–	KS-U62	–	Streaming via Bluetooth	–	–
KW-V620BT	KS-U62	KS-U60 ¹	–	KS-U60 ¹	Streaming via Bluetooth	With HDMI: KS-U60 ² With MHL: KS-U61	With HDMI: KS-U60 ² With MHL: KS-U61
KW-V420BT	KS-U62	–	–	–	USB or Bluetooth	–	–
KW-V320BT	KS-U62	–	–	–	USB or Bluetooth	–	–
KW-V220BT	KS-U62	–	–	–	USB or Bluetooth	–	–
KW-V215BT	KS-U62	–	–	–	–	–	–
KW-V51BT	KS-U62	KS-U60 ¹	–	KS-U60 ¹	Streaming via Bluetooth	With HDMI: KS-U60 ² With MHL: KS-U61	With HDMI: KS-U60 ² With MHL: KS-U61
KW-V11	KS-U62	–	–	–	–	–	–

¹ Lightning Digital AV adaptor (accessory of the iPhone/iPod) is required. ² Micro HDMI to HDMI adapter (commercially available) is required.

Optional Accessories

<p>KS-U60 HDMI Extension Cable</p> 	<p>KS-U61 HDMI – MHL Conversion Cable</p> 	<p>KS-U62 Lightning – USB Cable</p> 	<p>RM-RK258 Wireless Remote Control for Multimedia Receivers</p> 
---	--	---	---

Keep the Music Rolling Wherever You're Going

Get your music on the road, whether it's on CDs or stored on your smartphone or memory device. Plug your music in directly or send it wirelessly to your car audio system, and drive the soundtrack of your life.



CD Receivers with DAB Tuner



Variable-Colour Illumination

KD-DB97BT

CD Receiver with Bluetooth® Wireless Technology and Front USB/AUX Input



Wired MIC included



KD-DB67

CD Receiver with Front USB/AUX Input



KW-DB92BT

CD Receiver with Bluetooth® Wireless Technology and Front USB/AUX Input



Wired MIC included



3-Zone Variable-Colour

All models are compatible with iPod/iPhone.



DAB+/DMB-Audio

[KD-DB97BT/DB67, KW-DB92BT]



Built-in DAB tuner lets you enjoy digital radio broadcast from DAB+/DMB-Audio stations with the included aerial.

Android™ Music Playback via USB (AUTO MODE/AUDIO MODE)



Simply connect your Android smartphone or tablet to the receiver via USB and enjoy a totally "plug and play" music playback solution. The Android Open Accessory Protocol (AOA2) is supported so absolutely no preparation or set-up is necessary – just plug it in and it's ready to play audio files stored on your Android device in what's called "AUDIO MODE". Or, by installing the free JVC Music Play app available on Google Play, you'll be able to access "AUTO MODE" for added functionality including Folder Up & Down, and Search Artist/Album/Song.



iPhone®/Android™ Bluetooth Automatic Pairing [Bluetooth Models*]



Just connect your iPhone or Android device* via USB and the automatic Bluetooth pairing function will work to complete the pairing. No complicated manual procedure to worry about.




*JVC Music Play application is required. Android only for KD-R771BT.

Versatile Sound Adjustment Features

K2 Technology

K2 reproduces the original master sound by expanding the bit rate and frequency range. K2 is compatible with all sources, including CD where 44.1kHz/16 bit recordings are expanded to 48 kHz/24 bit to restore the high-frequency range that is cut during the CD formatting.



Sound Lift

Virtually manipulate the height of the speakers by adjusting the sound frequencies.

Sound Response

Boosts the low frequencies which can be lost during compression to MP3 or WMA.



Seamless Blending

[KD-DB97BT/DB67, KW-DB92BT]

Normally, DAB is delayed few seconds compared to the FM broadcasting. The unit will delay the FM in order for seamless switch between DAB-FM.

2 Phones Full-Time Connection

[Bluetooth Models]



You can connect two phones full time via Bluetooth, with secure and simple pairing. Calls to either phone can be received by a push of a key on the head unit.

Bluetooth AVRCP1.5 for Versatile Song Selection

In addition to repeat and random playback of music files, you can also easily search for songs using the browsing function. Just look for and choose the song you want to hear from the folder name and song name lists.

Bluetooth Hands-Free Profile 1.6

HPF 1.6 Wideband Speech is supported, so you can now enjoy hands-free phoning convenience together with higher voice quality and improved noise reduction.

High Current 1.5A Charging




Rapidly charge your smartphone using the USB port, with up to a maximum of 1.5A.

3-Zone Variable-Colour Illumination



You can mix the front panel illumination using 32 colours, separated into 3 zones. 50 preset patterns are available for easy customisation.



Space Enhancement

A virtual surround technology using 2 speakers. Just select the vehicle size, and the head unit automatically adjusts the sound effectively.



Volume Link EQ

Boosts specific frequencies in the audio signal to compensate for the impact of road noise. It boosts frequencies in the music that are affected by road noise.

13-Band Equaliser

Use the 13-Band Equaliser to manually adjust the sound to your taste.



Please visit the JVC Support Site for further information including firmware update. <http://www.jvc.net/cs/car/>



1-DIN CD Receivers



3-Zone Variable-Colour

KD-R971BT

CD Receiver with Bluetooth® Wireless Technology and Front USB/AUX Input



KD-R871BT

CD Receiver with Bluetooth® Wireless Technology and Front USB/AUX Input



KD-R771BT

CD Receiver with Bluetooth® Wireless Technology and Front USB/AUX Input



*Phone only

Digital Media Receivers



KD-X330BT

Digital Media Receiver with Bluetooth® Wireless Technology and Front USB/AUX Input



KD-X230

Digital Media Receiver with Front USB/AUX Input



KD-X130

Digital Media Receiver with Front USB/AUX Input





KD-R671

CD Receiver with Front USB/AUX Input



KD-R571

CD Receiver with Front USB/AUX Input



KD-R471



KD-R472

KD-R471 / R472

CD Receiver with Front USB/AUX Input



KD-R469

CD Receiver with Front USB/AUX Input



2-DIN CD Receivers



KW-R920BT

CD Receiver with Bluetooth® Wireless Technology and Front USB/AUX Input



3-Zone Variable-Colour



KW-R520

CD Receiver with Front USB/AUX Input



Please visit the JVC Support Site for further information including firmware update.
<http://www.jvc.net/cs/car/>



Smooth Sailing for Your Favourite Music

Marine
MotorSports



KD-X33MBT

Digital Media Receiver with Bluetooth® Wireless Technology and Front USB/AUX Input



Optional Accessory

RM-RK52P

Wireless Remote Control for Audio Receivers



CS-DR6201MW

16cm 2-Way Coaxial Speakers

Water-Resistant Design with High Output

Features

- Water-resistant cone woofers
- UV resistant grilles
- Composite speaker baskets
- Stainless steel hardware
- 50W RMS high power*
- Grille with a large open area

Peak Power	150W
RMS Power at 4Ω	50W
Frequency Response*	60Hz - 18.4kHz

*CEA2031

Made for
iPod iPhone

	Variable Colour Illumination	Android Music Playback via USB	iPod/iPhone Music Playback	Built-in Bluetooth	Siri Eyes Free Mode for iPhone	Android/iPhone Automatic Bluetooth Pairing (via USB)	USB Port	USB Audio Format	AUX-IN
KD-DB97BT	● (1-Zone)	● (AUTO MODE/AUDIO MODE)	●	● Audio Streaming	●	●	Front (1.5A)	MP3/WMA/WAV/FLAC	Front x 1
KD-DB67	–	● (AUTO MODE/AUDIO MODE)	●	–	–	–	Front (1.0A)	MP3/WMA/WAV/FLAC/AAC	Front x 1
KW-DB92BT	● (3-Zone)	● (AUTO MODE/AUDIO MODE)	●	● Audio Streaming	●	●	Front (1.5A)	MP3/WMA/WAV/FLAC	Front x 1
KD-R971BT	● (3-Zone)	● (AUTO MODE/AUDIO MODE)	●	● Audio Streaming	●	●	Front (1.5A)	MP3/WMA/WAV/FLAC	Front x 1
KD-R871BT	–	● (AUTO MODE/AUDIO MODE)	●	● Audio Streaming	●	●	Front (1.5A)	MP3/WMA/WAV/FLAC	Front x 1
KD-R771BT	–	● (AUTO MODE/AUDIO MODE)	●	● Audio Streaming	–	Android Only	Front (1.5A)	MP3/WMA/WAV/FLAC	Front x 1
KD-R671	–	● (AUTO MODE/AUDIO MODE)	●	–	–	–	Front (1.0A)	MP3/WMA/WAV/FLAC	Front x 1
KD-R571	● (1-Zone)	● (AUTO MODE/AUDIO MODE)	●	–	–	–	Front (1.0A)	MP3/WMA/WAV/FLAC	Front x 1
KD-R471/R472	–	● (AUTO MODE/AUDIO MODE)	–	–	–	–	Front (1.0A)	MP3/WMA/WAV/FLAC	Front x 1
KD-R469	–	● (AUTO MODE/AUDIO MODE)	–	–	–	–	Front (1.0A)	MP3/WMA/WAV	Front x 1
KD-X330BT	–	● (AUTO MODE/AUDIO MODE)	●	● Audio Streaming	●	●	Front (1.5A)	MP3/WMA/WAV/FLAC	Front x 1
KD-X230	–	● (AUTO MODE/AUDIO MODE)	●	–	–	–	Front (1.0A)	MP3/WMA/WAV/FLAC	Front x 1
KD-X130	–	● (AUTO MODE/AUDIO MODE)	–	–	–	–	Front (1.0A)	MP3/WMA/WAV/FLAC	Front x 1
KW-R920BT	● (3-Zone)	● (AUTO MODE/AUDIO MODE)	●	● Audio Streaming	●	●	Front (1.5A)	MP3/WMA/WAV/FLAC	Front x 1
KW-R520	● (1-Zone)	● (AUTO MODE/AUDIO MODE)	–	–	–	–	Front (1.0A)	MP3/WMA/WAV/FLAC	Front x 1
KD-X33MBT	–	● (AUTO MODE/AUDIO MODE)	●	● Audio Streaming	●	●	Front (1.5A)	MP3/WMA/WAV/FLAC	Front x 1

	Audio Preout	K2 Technology	EQ/Preset EQ	MOS-FET AMP 50W x 4	Tuner FM/AM/Radio Data System	DAB Tuner Built-in	Steering Wheel Remote Ready	Detachable Panel	Remote Control
KD-DB97BT	3-Pre Out (4.0V)	●	13-Band/8-Preset	●	●	●	●	●	–
KD-DB67	2-Pre Out (2.5V)	–	3-Band Parametric/12-Preset	●	●	●	●	●	–
KW-DB92BT	3-Pre Out (4.0V)	●	13-Band/8-Preset	●	●	●	●	–	–
KD-R971BT	3-Pre Out (4.0V)	●	13-Band/8-Preset	●	●	–	●	●	–
KD-R871BT	2-Pre Out (4.0V)	●	13-Band/8-Preset	●	●	–	●	●	–
KD-R771BT	1-Pre Out (4.0V)	●	13-Band/8-Preset	●	●	–	●	●	–
KD-R671	2-Pre Out (2.5V)	–	3-Band Parametric/12-Preset	●	●	–	●	●	–
KD-R571	1-Pre Out (2.5V)	–	3-Band Parametric/12-Preset	●	●	–	●	●	–
KD-R471/R472	1-Pre Out (2.5V)	–	3-Band Parametric/12-Preset	●	●	–	●	●	–
KD-R469	1-Pre Out (2.5V)	–	3-Band Parametric/6-Preset	●	●	–	●	●	–
KD-X330BT	2-Pre Out (4.0V)	●	13-Band/8-Preset	●	●	–	●	●	–
KD-X230	1-Pre Out (2.5V)	–	3-Band Parametric/12-Preset	●	●	–	●	●	–
KD-X130	1-Pre Out (2.5V)	–	3-Band Parametric/12-Preset	●	●	–	●	●	–
KW-R920BT	3-Pre Out (4.0V)	●	13-Band/8-Preset	●	●	–	●	–	–
KW-R520	1-Pre Out (2.5V)	–	3-Band Parametric/12-Preset	●	●	–	●	–	–
KD-X33MBT	3-Pre Out (4.0V)	●	13-Band/8-Preset	●	●	–	●	●	Ready (RM-RK52P required)

* Requires JVC Music Play Application. For Android ver. 4.1 and above.

Please visit the JVC Support Site for further information including firmware update.
<http://www.jvc.net/cs/car/>



Sense Every Sound, Feel Every Beat


DR Series Speakers

Carbon Mica Cone

Robust and lightweight carbon mica material provides highly responsive, clear and undistorted reproduction.

Balanced Neodymium Tweeter

Provides detailed high range and smooth mid range. Installable vehicle types are greatly increased thanks to its shorter height.



Wide Opening Grill

Grill's opening ratio is 30% wider than the conventional model, enabling increased durability and clear sound.


Hybrid Surround

Rubber Coated Cloth with increased mobility enables high efficiency and improved follow-up to audio signals.

Small-Design Tweeter Cover

Newly developed small cover significantly reduces areas that interfere with the woofer cone. High-quality sound is assured.

DR Series Amplifiers



• **Toroidal Transformer**
Stable power supply is assured thanks to a large-size toroidal transformer. Its high winding density and low flux leakage improves conversion efficiency of the power. The result is natural and powerful music playback throughout the volume range.

• **Enhanced GND**

KS-DR3001D offers a copper plate for the ground. Its low resistance value reduces loss of voltage to deliver clear sound with less distortion.

• **Speaker-level Inputs for Easy Installation**

DR Series amplifiers feature speaker level inputs with Auto Turn-on function. Installation is possible without having to detach the head unit.

DR Series Speakers



CS-DR1700C
17cm 2-Way Component Speakers

CS-DR6940
15 x 23cm 4-Way Coaxial Speakers

CS-DR6930
15 x 23cm 3-Way Coaxial Speakers

CS-DR6820
15 x 20cm 2-Way Coaxial Speakers

CS-DR1720
17cm 2-Way Coaxial Speakers

CS-DR520
13cm 2-Way Coaxial Speakers

CS-DR420
10cm 2-Way Coaxial Speakers

CS-DR1720

	CS-DR1700C	CS-DR6940	CS-DR6930	CS-DR6820	CS-DR1720	CS-DR520	CS-DR420
Peak Power	360W	550W	500W	300W	300W	260W	220W
RMS Power at 4Ω	55W	90W	70W	45W	50W	40W	35W
Frequency Response*	66Hz - 23.8kHz	56Hz - 21kHz	58Hz - 21kHz	65Hz - 25.4kHz	74Hz - 25kHz	85Hz - 25kHz	114Hz - 23kHz

*CEA2031

DR Series Amplifiers



KS-DR3001D
Mono Class-D Amplifier

KS-DR3002
2-Channel Power Amplifier

KS-DR3004
4-Channel Power Amplifier

	KS-DR3001D	KS-DR3002	KS-DR3004
Channels	Mono	2-ch	4-ch
Max Power	800W	400W	800W
RMS Power (2Ω)	400W x 1	90W x 2	90W x 4
RMS Power (4Ω)	250W x 1	65W x 4	60W x 4
Bridged (4Ω)	-	180W x 1	180W x 2
Frequency Response	20Hz - 200Hz	5Hz - 50kHz	5Hz - 50kHz

Subwoofers

CW-DR120

30cm Subwoofer Unit



CS-GD1210

30cm Dual Voice Coil Subwoofer Unit

	CW-DR120	CS-GD1210
Peak Power	1800W	1400W
RMS Power at 4Ω	300W	400W
Frequency Response	25Hz - 2,500Hz	20Hz - 2,000Hz
Surround	Urethane Foam	Butyl Rubber

V Series Speakers



CS-V618

CS-V618

16cm Dual Cone Speakers

CS-V518

13cm Dual Cone Speakers

CS-V418

10cm Dual Cone Speakers

drvn

	CS-V618	CS-V518	CS-V418
Peak Power	230W	200W	180W
RMS Power at 4Ω	30W	25W	20W
Frequency Response	42Hz - 20kHz	52Hz - 20kHz	70Hz - 20kHz

drvn XX Series Speakers



CS-ZX6940

15 x 23cm 4-Way Coaxial Speakers

drvn



CS-ZX640

CS-ZX640

16cm 4-Way Coaxial Speakers

CS-ZX630

16cm 3-Way Coaxial Speakers

CS-ZX530

13cm 3-Way Coaxial Speakers

	CS-ZX6940	CS-ZX640	CS-ZX630	CS-ZX530
Peak Power	550W	350W	300W	300W
RMS Power at 4Ω	80W	50W	40W	40W
Frequency Response	35Hz - 25kHz	40Hz - 25kHz	40Hz - 25kHz	40Hz - 25kHz

HX Series Speakers

HX Series



CS-HX6959

CS-HX6959

15 x 23cm 5-Way Coaxial Speakers

CS-HX6949

15 x 23cm 4-Way Coaxial Speakers



CS-HX649

CS-HX649

16cm 4-Way Coaxial Speakers

CS-HX639

16cm 3-Way Coaxial Speakers

CS-HX539

13cm 3-Way Coaxial Speakers

	CS-HX6959	CS-HX6949	CS-HX649	CS-HX639	CS-HX539
Peak Power	650W	600W	350W	320W	320W
RMS Power at 4Ω	80W	80W	50W	40W	40W
Frequency Response	25Hz - 30kHz	25Hz - 30kHz	30Hz - 25kHz	30Hz - 25kHz	30Hz - 25kHz

J Series Speakers



CS-JS600
16cm 2-Way Component Speakers



CS-J1720X
17cm 2-Way Coaxial Speakers (without Speaker Grille)

CS-J6930
15 x 23cm 3-Way Coaxial Speakers

CS-J6820
15 x 20cm 2-Way Coaxial Speakers (without Speaker Grille)

CS-J620
16cm 2-Way Coaxial Speakers

CS-J620X
16cm 2-Way Coaxial Speakers (without Speaker Grille)

CS-J610
16cm Dual Cone Speakers

CS-J610X
16cm Dual Cone Speakers (without Speaker Grille)

CS-J520X
13cm 2-Way Coaxial Speakers (without Speaker Grille)

CS-J420X
10cm 2-Way Coaxial Speakers (without Speaker Grille)

CS-J510X
13cm Dual Cone Speakers (without Speaker Grille)

CS-J410X
10cm Dual Cone Speakers (without Speaker Grille)

	CS-J1720X	CS-JS600	CS-J6930	CS-J6820	CS-J620/J620X	CS-J520X	CS-J420X	CS-J610/J610X	CS-J510X	CS-J410X
Peak Power	300W	300W	400W	250W	300W	250W	210W	300W	250W	210W
RMS Power at 4Ω	30W	30W	45W	30W	30W	30W	21W	30W	30W	21W
Frequency Response	30Hz - 22kHz	35Hz - 22kHz	30Hz - 22kHz	35Hz - 22kHz	35Hz - 22kHz	40Hz - 22kHz	45Hz - 22kHz	35Hz - 20kHz	40Hz - 20kHz	45Hz - 20kHz

Amplifiers



KS-AX202
2-Channel Power Amplifier

KS-AX204
4-Channel Power Amplifier

KS-AX202

	KS-AX202	KS-AX204
Channels	2-ch	4-ch
Max Power	300W	600W
RMS Power (2Ω)	60W x 2	60W x 4
RMS Power (4Ω)	40W x 2	40W x 4
Bridged (4Ω)	120W x 1	120W x 2
Frequency Response	5Hz - 50kHz	5Hz - 50kHz

Subwoofers



CS-W120
30cm Subwoofer Unit

CS-BW120
30cm BOX Subwoofer



	CS-W120	CS-BW120
Peak Power	1000W	1300W
RMS Power at 4Ω	150W	150W
Frequency Response	25Hz - 2,500Hz	37Hz - 2,500Hz
Surround	High-Density Foam	High-Density Foam

All screen pictures in this catalogue are simulated.

- iPods, iPhones, Android smartphones or any other accessories shown in this catalog are not supplied, and must be purchased separately.
- "Made for iPod" and "Made for iPhone" mean that an electronic accessory has been designed to connect specifically to iPod, or iPhone, respectively, and has been certified by the developer to meet Apple performance standards. Apple is not responsible for the operation of this device or its compliance with safety and regulatory standards. Please note that the use of this accessory with iPod or iPhone may affect wireless performance.
- iPhone, iPod, iPod classic, iPod nano, iPod touch and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries.
- Lightning is a trademark of Apple Inc.
- The Android robot is reproduced or modified from work created and shared by Google and used according to terms described in the Creative Commons 3.0 Attribution License.

- Android, the Android logo, Google Play™, and the Google Play™ logo are registered trademarks or trademarks of Google, Inc.
- The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by JVC/KENWOOD Corporation is under license. Other trademarks and trade names are those of their respective owners.
- Dolby Digital, double-D symbol are trademarks of Dolby Laboratories.
- All other brands, product names, logos, or trademarks are the property of their respective holders.

Design and specifications subject to change without notice.

The photos of the products featured in this brochure may not be of actual products that are available in your country.

Copyright © 2016, JVC/KENWOOD Corporation. All Rights Reserved.

JVC

DISTRIBUTED BY